



INDUSTRIAL TRANSMISSIONS





INDUSTRIAL TRANSMISSION LUBRICANTS

High-performance lubricants for industrial gears subject to severe operating conditions. We offer a wide range of products formulated from mineral or synthetic base oils combined with specially selected additives.

MINERAL

SUNEP



Premium quality industrial gear lubricants made from highly refined base stocks and modern additive technology. These lubricants are designed to provide excellent performance when load carrying capacity is required due to extreme pressures and shock loadings.

ISO 68 / 100 / 150 / 220 / 320 / 460 / 680 / 1000

DIN 51517 Part 3 - CLP

ISO 12925-1 CKC – CKD

CINCINNATI MACHINE P-59/P-35/P-34 (320 – 680)

CINCINNATI MACHINE P-76/P-77/P-74 (100-220)

US STEEL 224 AGMA 9005-D94 EP

DAVID BROWN S1.53.101

FULLY SYNTHETIC

DURAGEAR



Fully synthetic lubricant, formulated from carefully selected synthetic hydrocarbons - polyalphaolefins (PAO). Lubricants specially designed to withstand extreme loads and very high and/or low temperatures.

ISO 68 / 100 / 150 / 220 / 320 / 460 / 680 / 1000

DIN 51517 Part 3 - CLP

ISO 12925-1 CKC – CKD

CINCINNATI MACHINE P-68 / P-69 / P-70

US STEEL 224

DAVID BROWN S1.53.101

AGM 9005-D94 EP

DURAGEAR PGL



Fully synthetic, high quality and very thermally stable gear lubricant. Formulated from carefully selected - polyalkylene glycol (PAG) – base oils and anti-oxidation, anti-corrosion and extreme pressure additives.

ISO 68 / 100 / 150 / 220 / 320 / 460 / 680 / 1000

DIN 51517 Part 3 - CLP

ISO 6743 CKC



Multifunctional lubricant. Suitable for various applications



Industrial gears



High temperatures



Biodegradables




DURAGEAR BIO



Fully synthetic ester-based lubricant, suitable for industrial transmissions heavily loaded. This product is exceptionally stable at a wide range of temperatures, has good protection properties against corrosion/wear and a high biodegradability, over 80% on the test CEC L-33-A-93.

ISO 220 / 320 / 460

DIN 51517 Part 3 - CLP
ISO 12925-1 CKC - CKD
US STEEL 224



SYNTHETIC & FOOD GRADE

SUNFOOD MPF



Multipurpose and food grade oils. Formulated from synthetic base oils and specially selected additives. Non-toxic lubricants indicated for its use in the food industry, in those applications where accidental contact with food is possible.

ISO 68 / 100 / 150 / 220 / 320 / 460 / 680 / 1000

DIN 51524 Part 2 - HLP
DIN 51517 Part 3 - CLP
DIN 51506 - VDL
NSF H1 / Kosher / Halal

SUNFOOD GL FS



Food grade oils, formulated from fully synthetic base oils - polyalphaolefin (PAO) - and reinforced with specially selected additives. Non-toxic lubricants, indicated for use in the food industry, in those applications where accidental contact with food is possible.

ISO 150 / 220 / 320 / 460 / 680

DIN 51517 Part 3 - CLP
NSF H1 / Kosher / Halal

GREASES FOR INDUSTRIAL TRANSMISSIONS

For more information check the lubricating greases flyer.



The information contained in this flyer reflects the current state of our knowledge and research. Depending on the use, the technical behavior of the lubricants may vary. Therefore, in case of doubt we always recommend you to contact us. Since our products are constantly developing, we reserve the right to modify any information contained in this catalogue in any moment. The reproduction, in whole or in part, of this catalogue without the authorization of the company Sun Oil España S.A. is forbidden. Date of last edition: 01/06/2025 (All previous versions are cancelled as of this update).

SUN OIL ESPAÑA S.A.
C/ Mozanaque, 25
Pol. Ind. El Nogal
28119 - Algete (Madrid) -
Spain
www.sunoilspana.com
info@sunoilspana.com